



Enviro Safe Acid

Sure Seal® Enviro Safe Acid is cutting edge acid alternative technology! No more dangerous acids needed to remove concrete, cement and grout residue from bricks, concrete mixing and transporting equipment, newly laid floor tiles and a variety of other surfaces affected by cement splash.

Now there's a safe alternative! With increasing sensitivity to healthy work environments, finding safer alternatives to acids in manufacturing processes has become a necessity. While acid-based products may be the only option to maintain and operate your process, **Sure Seal® Enviro Safe Acid** offers an acid alternative to protect your employees and your equipment.

This proprietary formulation uses newly researched acid-replacement technology where the organic salt, being low in pH, acts like an acid in the cleaning process but has none of the characteristics associated with acid cleaners.



- ✓ Readily Biodegradable
- ✓ Non-Dangerous Goods
- ✓ Non-Toxic – Non-Fuming
- ✓ Non-Caustic – Non-Corrosive
- ✓ Non-Flammable
- ✓ Multifunctional
- ✓ Contains No VOC's
- ✓ Superior Descaling Properties
- ✓ Superior Rust Removal
- ✓ Performance Equals or Surpasses Dangerous Acids
- ✓ Safely Replaces Hydrochloric & Phosphoric Acids
- ✓ Phosphate Free

It is a safe, totally natural, multi-functional product that provides an unprecedented level of safety in the workplace for both humans and environmental surfaces – without compromising performance!

Waste disposal is no longer a problem as the **Sure Seal® Enviro Safe Acid** is a totally natural product; it reduces the environmental impact and reduces concerns of failing to meet environmental compliance as with other acidic products.

**Sure Seal® Solutions
Australia Pty Ltd.**

ABN 94 128 678 035

P.O. Box 3686, Burleigh Town QLD 4220 • Ph: 07 5568 7037 • info@sssu.com.au • www.suresealcommercial.com.au



Enviro Safe Acid

Dilution Rates:

For the removal of Concrete residues – Use as is or dilute between 1:4 parts and 1:50 parts water depending on the thickness of concrete to be removed. Apply with a stiff bristled brush or broom and allow to react for a few minutes. Rinse off with fresh water.

For the removal of Corrosion from metal surfaces – dilute 1:20 parts water and apply by brush. Allow to penetrate and dissolve corrosion, then rinse off with water.

Clean Up: Neutralize any remaining residues with mildly alkaline liquid. Clean up equipment with water.

Spills & Leaks: Spills can be absorbed onto inert material and disposed of to an approved landfill.

Coverage: Depends upon the dilution rate applied, the porosity of the surface to be treated and method of application.

First Aid:

Eye Contact: If in eyes, immediately flush eyes with plenty of water for at least 15 minutes. Seek medical attention.

Inhalation: If inhaled, remove to fresh air. If symptoms persist, call physician.

Skin: Prevent prolonged contact with skin. Wash area with soap and water.

Ingestion: If swallowed DO NOT induce vomiting. Wash out mouth with water and give plenty of water to drink. Seek medical attention. Never give anything by mouth to an unconscious person.

Inhaled: No first aid measures normally required. If vapours or mists inhaled and irritation develops, remove to fresh air and observe until recovered. If irritation becomes painful or persist more than about 30 minutes, seek medical advice.

Protective Clothing: Wear appropriate chemical resistant protective clothing to prevent skin contact. The use of a dust or vapour mask is suggested when airborne exposure is likely, especially if in confined or dusty spaces. Consult AS/NZS 1715 in selecting suitable equipment.

Handling & Storage: Keep sealed in original containers and store in a cool dry place. Maintain a high level of personal hygiene when using this product. Wash your hands before eating, drinking, smoking or using the toilet.

Shelf Life: At least 12 months in closed original container, stored in cool, dry conditions.

Shipping Information: This product has no UN classification. Not a Scheduled Poison. Not classified as a Dangerous Good, according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (6th Edition).

Appearance/Odor: A coloured liquid with a mild odor

Packaging: Product is supplied in 20 litre drums.

Note: Consult the Material Safety Data Sheet for further safety details. It is recommended to test the product on a small inconspicuous area to determine its efficacy or unexpected results.

**Sure Seal® Solutions
Australia Pty Ltd.**

ABN 94 128 678 035

P.O. Box 3686, Burleigh Town QLD 4220 • Ph: 07 5568 7037 • info@sssu.com.au • www.suresealcommercial.com.au